Application/Control Number: 10/587,090 Page 2

Art Unit: 1637

DETAILED ACTION

1. Applicants' response to the office action and the amendment filed on July 26, 2011 were considered and acknowledged.

2. The following is an examiner's statement of reasons for allowance:

Claims 1-13 are allowed.

The present invention is drawn to a method for manufacturing a nucleic acid molecule. The closet prior art on the record (Lexow et al. (WO 01/61036A2) did not teach or suggest the limitations as presented in the instant amended claims. In view of no teachings the present invention is novel and non-obvious.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Suryaprabha Chunduru whose telephone number is 571-272-0783. The examiner can normally be reached on 8.30A.M. - 4.30P.M, Mon - Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gary Benzion can be reached on 571-272-0782. The fax phone numbers for the organization where this application or proceeding is assigned are 571-273-8300 for regular communications and - for After Final communications.

Application/Control Number: 10/587,090 Page 3

Art Unit: 1637

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/Suryaprabha Chunduru/

Primary Examiner, Art Unit 1637